TECHNICAL RIDER "(H)OOPS" | Company ATA vzw

The Stage:


- Stage size: at least 8m wide and 10m deep.
- Height for two hoop hangers: at least 8m.
- Hanging options for a rigging system (truss, IPN with a minimum WLL of 500kg); a ground or wall anchor point is required with a WLL of 500kg minimum.
- Backstage hanging options for three white fabrics, 3m wide and 6m high, and one pole for hanging clothing.
- Five lines of white dance floors, 1.6m by 5.5m and 8m. Backstage, at least 3m of space is required for shadow puppet lighting.












Fire plan:



- ADB ALC4-2 extended 4x (on the floor)
 - Par 62 cp62 1x (on the floor)
 - ETC Colorsource par 6x
 - moving head ADJ focusflex 25ch 4x (on the floor)
 - ADB C103 7x

Provided by the company:

- Hoops.
- · Ropes, carabiners, pulleys, and spansets.
- Costumes.
- · White curtains.
- Hangers.
- · Clothing bar.
- Microphone + wireless microphone box.
- · White linoleum.

Provided by the organizer:

- Basic sound system.
- · Lights (Fire plan provided above).
- · White tape for linoleum.

Accommodation & Meals:

Team:

1 artist.

2 technicians.

- 3 single rooms required if needed.
- Lunch and dinner provided or paid for.

Time of build up: 6h (set up stage + one rehearsal | can be on same day as the performance or one day earlier).

Time build down: 3h.

Travel: Travel with 2 vehicles | 2 parking spaces required.